

# AQUAROBIC INTERNATIONAL, INC. ®

5800 Prillaman Switch Rd, P.O. Box 579 Ferrum, VA 24088 USA

Phone: 540 365-0154 Fax: 540 365-0155

www.aquarobicinternational.com

1-800-927-8304

## NEW PROJECT INFORMATION

Please fill out this form to the best of your knowledge and fax to Aquarobic.

Your Name: \_\_\_\_\_ Title: \_\_\_\_\_

Address: \_\_\_\_\_

Phone: \_\_\_\_\_ Fax: \_\_\_\_\_ Email: \_\_\_\_\_

Contractor Name: \_\_\_\_\_

Address: \_\_\_\_\_

Phone: \_\_\_\_\_ Fax: \_\_\_\_\_ Email: \_\_\_\_\_

Engineer Name: \_\_\_\_\_

Address: \_\_\_\_\_

Phone: \_\_\_\_\_ Fax: \_\_\_\_\_ Email: \_\_\_\_\_

Location/County of Job: \_\_\_\_\_ Expected Date of Construction: \_\_\_\_\_

Type of Facility: \_\_\_\_\_

Site Plan:    Y    N    If yes, please provide Aquarobic with a copy.

Soil Test:    Y    N    If yes, please provide Aquarobic with a copy.

## FOR RESIDENCES:

# Bedrooms: \_\_\_\_\_

# Persons: \_\_\_\_\_

**FOR COMMERCIAL; BUSINESS CENTER, HOTEL, REST-STOP, CAMPGROUND, SUBDIVISION**

# Seats: \_\_\_\_\_

#Employees \_\_\_\_\_

#Rooms \_\_\_\_\_

Oil/Water Separator: Existing None

Laundry On-site: Yes No

**-INFLUENT PARAMETORS-**

BOD/SS: \_\_\_\_\_

Gallons per Day: \_\_\_\_\_

Average Temp: \_\_\_\_\_

**-EFFLUENT REQUIREMENTS-**

BOD<sub>5</sub> Mg/L: \_\_\_\_\_

SS Mg/L: \_\_\_\_\_

Nitrogen: \_\_\_\_\_

Phosphorous: \_\_\_\_\_

E. Coli: \_\_\_\_\_

**DISPERSAL:**

DRIP FIELD      IRRIGATON      SURFACE      ZERO-DISCHARGE

OTHER NOTES: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_